## **References**

- Ahti, T. and J. Oksanen. 1990. Epigeic lichen communities of taiga and tundra regions. *Vegetatio* 86: 39-70.
- Akatov, V.V. 1995. Variation factors of floristic richness of alpine short-grass meadows and lichen heathland communities in the west Caucasus. *Russian Journal of Ecology* 26(1): 23-28.
- Berry, J. 2003. Alpine Macrolichen Biodiversity at Spray Park, Mt. Rainier National Park, Washington, U.S.A. Senior Thesis. University of Puget Sound. Tacoma, Washington. 20 pp.
- Brodo, I.M., Sharnoff, S. Sharnoff. 2001. *Lichens of North America*. Yale University Press, New Haven & London. 795 pp.
- Dobson, F.S. 1992. *Lichens. An illustrated guide to the British and Irish Species*. Richmond Publishing Company, Ltd. England. 320 pp.

\_\_\_\_\_ 2000. *Lichens. An Illustrated Guide to the British and Irish Species*. Richmond Publishing Co. Ltd, Slough, England. 431 pp.

- Douglas, G.W. 1973. Alpine Plant Communities of the North Cascades Range, Washington and British Columbia. Ph.D. Thesis. University of Alberta, Edmonton, Canada. 145 pp.
- 1974. Lichens of the North Cascades Range, Washington. *Bryologist* 77(4): 582-592.
- Esslinger, T.L. and R.S. Egan. 1996. A sixth checklist of lichen-forming, lichenicolous, and allied fungi of the continental United States and Canada. *Bryologist* 98(4): 467-549.
  - 1997. A cumulative checklist for the lichen-forming, lichenicolous and allied fungi of the continental United States and Canada. North Dakota State University: http://www.ndsu.nodak.edu/instruct/esslinge/chcklst/chcklst7.htm
     (First Posted 1 December 1997), Version #7 (First Posted 27 August 2001)Most Recent Update 17 July 2002), Fargo, North Dakota.
- Fahselt, D. 1993. UV absorbance by thallus extracts of umbilicate lichens. *Lichenologist* 25(4): 415-422.
- Fryday, A.M., and K.A. Glew. 2003. *Stereocaulon nivale* comb. nov., yet another crustose species in the genus. *Bryologist*. (in press)
- Galloway, D.J. 1993. Global environmental change: lichens and chemistry. <u>In</u>: Feige,
  G.B. and H.T. Lumbsch, (eds.): *Phytochemistry and Chemotaxonomy of Lichenized Ascomycetes A Festschrift in Honour of Siegfried Huneck*. Bibliotheca Lichenologica, Band
  53. J. Cramer, Berlin, Stuttgart pp. 87-95.

Glew, K.A. 1994. Range extension of the lichen *Vulpicida tilesii* into the Pacific Northwest of the United States. *Bryologist* 97(1): 83-84.

\_\_\_\_\_ 1997. Do vascular plant communities provide structure for alpine lichen communities? *Bibliotheca Lichenologia* Band 68: 177-194.

\_\_\_\_\_ 1998a. Distribution and diversity of alpine lichens: Biotic and abiotic factors influencing alpine lichen communities in the northeast Olympic and North Cascade Mountains Ph.D. dissertation. University of Washington. Seattle, Washington. 210pp.

1998b. Alpine Lichens of Washington I. Lichens from the Northeast Olympics and North Cascades Mountains. *Mycotaxon: Lichenographa Thomsoniana, North American Lichenology in Honor of John W. Thomson.* pp. 261-280.

<u>1999</u>. *Rinodina aspersa* (Borrer) Laundon new to North America. *Evansia*. 16(4): 168-169.

2001. Rare lichens of Washington State. <u>In</u>: *Conservation of Washington's Rare Plants and Ecosystems*. Proceedings from a Conference of the Rare Plant Care and Conservation Program of the University of Washington. <u>Eds</u>. S.H. Reichard, P.W. Dunwiddie, J.G. Gamon, A.R. Kruckeberg, and D.L. Salstrom. pp. 39-46.

C.L. Miller and L. Koepke, J. Berry, and S. Record. 2003. Alpine Lichens from Mount Rainier National Park, Washington State, USA. Northwest Scientific Association meeting. Abstracts: page 8.

- Gold, W.G., K.A. Glew, and L.G. Dickson. 2001. Functional influences of cryptobiotic surface crusts in an alpine tundra basin of the Olympic Mountains, Washington, USA. *Northwest Science* 75(3): 315 - 326.
- Goward, T., B. McCune, and D. Meidinger. 1994. The Lichens of British Columbia. Part I -Foliose and Squamulose Species. Special Report Series 8. Ministry of Forests Program, Victoria B.C. 181 pp.
- Grabherr, G. 1982. The impact of trampling by tourists on a high altitude grassland in the Tyrolean Alps, Austria. *Vegetatio* 48(3): 209-217.
- Harper, K.A. and G.P. Kershaw. 1996. Natural revegetation on burrow pits and vehicle tracks in shrub tundra, 48 years following construction of the CANOL No. 1 Pipeline, N.W.T., Canada. Arctic and Alpine Research 28(2): 163-171.
- Haapasaari, M. 1988. North Fennoscandian heath vegetation and its zonation. *Acta Botanica Fennica* 135: 1-219.

- Lund, P.M., E.S. Hansen, C. Bay. 2000. *Graesningsvurdering af dvaergbuskheder i Eqaluit ilorlitt og Qasigiannguit, i Ameralik-fjord, jagtområde Kujataa*. Gronlands Naturinstitut, Kobenhavn. 32 pp.
- McCune, B. and L. Geiser. 1997. *Macrolichens of the Pacific Northwest*. Oregon State University Press, Corvallis. 386 pp.
- and T. Goward. 1995. *Macrolichens of the Northern Rocky Mountains*. Mad River Press. Eureka, California. 208 pages. Neitlich, P. N. and B. McCune. 1997. Hotspots of epiphytic lichen diversity in two young managed forests. *Conservation Biology* 11(1): 172-182.
- Miller, C.L. 2002. Macrolichens of Three Alpine locations on the northeastern slope of Mount Rainier, Cascade Range, Washington. Senior Thesis. University of Puget Sound. Tacoma, Washington. 27 pp.
- Nash, T.H. III, B.D. Ryan, C. Gries, F. Bungartz, (eds.). 2002. Lichen Flora of the Greater Sonoran Desert Region. Lichens Unlimited, Arizona State University, Tempe, Arizona. 532 pp.
- National Park Service. 2003 June 01. Mission and Criteria for developing parks. <a href="http://www.nps.gov/legacy/mission">http://www.nps.gov/legacy/mission</a> Accessed 2003 June 01.
- Pegau, R.E. 1970. Effect of reindeer trampling and grazing on lichens. *Journal of Range Management* 23: 95-97.
- Pentecost, A., F. Rose. 1985. Changes in the cryptogam flora of the Wealden sandrocks, 1688-1984. *Botanical Journal of the Linnean Society* **90**: 217-230.
- Purvis, O.W., B.J. Coppins, D.L. Hawksworth, P.W. James, D.M. Moore, (eds.). 1992. The Lichen Flora of Great Britain and Ireland. The British Lichen Society and The Natural History Museum, London. 710 pp.
- Riley, J. 1995. Arctoparmelia incurva new to Washington. Evansia 12(1): 19-20.

\_\_\_\_\_, B. McCune, and P. Neitlich. 1995. Range extensions of *Usnea sphacelata* in Oregon and Washington. *Evansia* 12(1): 24-26.

Robinson, A.L., D.H. Vitt, and K.P. Timoney. 1989a. Patterns of community structure and morphology of bryophytes and lichens relative to edaphic gradients in the subarctic forest tundra of northwestern Canada. *Bryologist* 92(4): 495-512.

<u>1989</u> <u>1989</u>. Patterns of Bryophytes and lichen distribution in relation to latitudinal and edaphic gradients in the Canadian subarctic forest-tundra. *Nova Hedwigia* 49: 25-48.

- Rosentreter, R. 1995. Lichen diversity in managed forest of the Pacific Northwest, U.S.A. *Mitt. Eidgenöss. Forsch.anst. Wald Schnee Landsch* 70(1): 103-124.
- Ryan, B.D. 1985. Lichens of Chowder Ridge, Mount Baker, Washington. *Northwest Science* 59(4): 279-293.
- St. Clair, L. 1984. Lichen distribution along an alpine tundra ridge in the high Uintas of Northeastern Utah, U.S.A. Unpublished thesis for Doctorate in Philosophy. University of Colorado. 139 pp.
  - \_\_\_\_\_ and J. R. Johansen. 1993. Introduction to the symposium on soil crust communities. *The Great Basin Naturalist* 53(1): 1-4.
- Thomson, J.W. 1984. *American Arctic Lichens. I. The Macrolichens*. Columbia University Press, New York. 504 pages.
  - \_\_\_\_\_ 1997. *American Arctic Lichens. II. The Microlichens.* University of Wisconsin Press, Madison. 675 pp.
- USGS United States Geological Survey. Biological Resource Division. 2003 May 30. NPLICHEN: A National Park Service Lichen Database : C.M. Wetmore & J.P. Bennett. <http://www.ies.wisc.edu/scripts/brd/lichpa.IDC>, Accessed 2003 May 30.
- White, F.W. and P.W. James. 1985. New Guide to Microchemical Techniques for the Identification of Lichen Substances. The British Lichen Society Bulletin No. 57 (supplement). London, England. 47 pp.